ILLE A

Station Directive No. 45-16 LOGISTICS 6 December 1966

SUBJECT: Initiation of Construction Projects

- 1. As a guideline, the Organization has established the following order of preferences to govern acquisition of real estate:
 - a. Assignment from other government agencies
 - b. Lease
 - c. Purchase
 - d. Construction
- 2. Experience has shown that in many parts of Vietnam suitable properties for assignment, lease or purchase are simply not available and a building program of considerable magnitude has developed. Inevitably, confusion has arisen regarding the procedures to be followed once need for construction has been recognized.

25X1A

to clarify action responsibilities and to establish a standard procedure for initiating construction projects. Appendix A gives step-by-step procedures, from requestor through or Division Chief to approving officers and action officers. Appendices B, C and D are samples of forms which should be used when submitting requests. Appendix E gives minimum and optimum land parcel sizes for various kinds of structures.

25×1A

Attachments:
Appendices A,B,C, & D

SECRET

Approved For Release 2001/07/12 : CIA-RDP78-06632A000300040008-1

ATTACHMENT B

Approved For Release 2001/07/12 : CIA-RDP78-06632A000300040008-1 S E C R E T

APPENDIK A

ACTION LEVEL

Province or Other Requestor

(No funding or approval authority)

PROCEDURE

ACTION TAKEN

- a. Recognizes a need for construction in support of assigned mission within Station operational program.
- b. If technical assistance needed to develop concept for rough planning and rough estimate of costs, contacts Area Engineer through command channels for preliminary assistance.
- c. Under guidance and assistance of Area Engineer, locates sultable site, initiates land procurencet, and prior to construction obtains title or documented permission to use land, and forwards to Engineering.
- d. Submits written Construction Request Form (APPENDIX B) with pertinent data and justification to appropriate Division Chief.
- e. Area Engineer will prepare Field Survey Report. (APPENDIX C)
- a. Evaluates request based upon knowledge of operational requirements and Station Directives.
- b. If \$1,000.00 or less approves/disapproves and returns to Province Officer for action.
- Forwards copy of approvals to Regional Coordinator.
 Obtains support and guidance of Area Engineer when required.
- d. Prevides Regional Support Officer with authority to procure GFM (Government-furnished material) as required.
- a. If cost exceeds \$1,000.00, prepares request for approval (sample format, APPENDIX D) and forwards to Regional Coordinator.

25X1A

. (a)

(Approval and funding authority to \$1,000.00)

25X1A

Approved For Release 2001/07/\$2 \(\mathbb{R}\)C(\textit{DR78}-06632A000300040008-1

APPLNDIX A - Page 2

2. (b) Division Chief

25X1A

- a. Evaluates request based upon knowledge of operational requirements and Station Directives.
- b. Prepares request for approval (format similar to that forwards request to Chief, Support for action.
- a. Receives copy of approval action taken on all regional projects within \$1,000.00 limit.
- b. Receives nil regional requests in excess of \$1,000.00 for evaluation and action.
- c. Coordinates requests with Staff elements where
- d. Forwards requests to Chief, Support for action.
- a. Receives and ovaluates requests for compruetion.
 Within his authority approved/dicapproved. Forwards
 to Chief. Finance for certification of funds.
- b. Forwards projects in execus of \$25,000 to Chiof of Station/Deputy Chief of Station for approval/disapproval. When approved request is returned, forwards it to Chief, Finance for certification of funds.
- a. Receives request for certification of funds from Chief, Support.
- b. Executes document certifying funds availability, encumbers amount, forwards document to Chief, Logistics for further action.
- c. Receives copy of executed contract for obligation purposes.
- a. Receives approved request, funding document and any priority requirements.
- b. Forwards to Station Engineer for action.

3. Regional Coordinator

(COS/DCOS approval/ disapproval any project \$25,000-\$50,000)

4. Chief, Support

(Approval authority to \$25,000.00)

Chiel, Finance

(Accountability all Station funds)

é; Chief, Logistics

Contracting Officer approval authority to \$5,000.00)

Approved For Release 2001/07/12 TC1A-RD178-06632A000300040008-1

Approved For Release 2001/07/12 : CIA-RDP78-06632A000300040008-1 S \mathbb{E} \mathbb{C} R \mathbb{E} \mathbb{T}

APPENDIX A - Page 3

- e. Signs contract documents, (forwards copy to Chief, Financo) approves payment to contractors, maintains records of expenditures on individual projects.
- d. Upon completion of project forwards to Chief, Finance record of total funds expended.
- a. Provides preliminary assistance during planning stage of project through Area Engineers or Engineer Office Staff.
- b. Implementé action: Propares apocifications, dravings, orders site curveys, receives bids, propares and cubmits contracts to Contracting Officer for signature.
- c. Upon award of contract assigns Area Engineer responsibility for inspection and reporting progress of project.
- d. Properse payment requests upon receipt of invoice from contractor, forwards to Contracting Officer for approval and payment.
- e. Upon completion of contract, forwards report of final inspection and contractors release form to Contracting Officer.
- I. Maintains official contract files on all construction projects, i.e., completed, in process and proposed.

. Station Engineer

(Approval opecification and technical aspects all projects)

Approved For Releas 2001/07/12 : CIA-RDP78-06632A06830004800831

(SECRET When Filled In)

25X1.	Д
-------	---

CONSTRUCTION REQUEST

					Date:	-	· Thin to the state of the stat
From (Na	Commence C processor and an area processor.	(CIE		artend mayor to strike	month that is secured.	er gangagan basar ar m	t typostaretysky jos pod skyndistoch observations
	RO)	Crc	y)			(Prov	inco)
ro	(City)	And when	mad scinned and	Processing and everyon	(Region) ————————————————————————————————————	Ministerina (professor personal)
Requesting:	New construction Renovation Modify Existing Other (Specify)	(())	·	Masonry Frame Prefab Other	()))
	SELECTION OF MAIN AND MAIN PROGRAMMENT OF A PART AND A MAIN AND A PART AND A		raus Strans		Been and the control of the control	(2.). \$800. 300 300.0	anta allente pipole Stadill'i Produce de que enclosa de la contracta de la con
lite:	Survey made Land approval Land approval document	anont	මර්	Yes	() ()	o (() }
loustruction	will provide: (Of:			arter ther)	's, Warehou	sing	space,
lescription (Describe planned us of needs: (Number of other	on wante	erif elsselsensens Bellersyste gyriller Belles gyrill neutspr	表示的ではないのとうだっている。 MOS しのようができ (AID で) 日 2000年7月 MOS しのようができ (AID で) 日 2000年7月	Backet all description (great companies and a security and a secur	and the second and th	
fustificatios		erredinet somen saastavi voitellanna gaterelijan erredinet somensetten erredinetlijdet kranitz	Landaniera 	E Transportation of the second	on-hand subsequence y capitalence proper parties explanation of the capitalence of the ca		
A			arie po propriete. Papa Calindre, Alpo, Principal de Anna Anna Anna Anna Anna Anna Anna Ann	de la la gallación y proportion de la company de la compan	kananda takki iliya (manyang-kapitahu), halahan juju distiran distinan di kananda kananda (manung-kapita) 3,000 menungan di kananda kananda kananda (manung-kapita) 3,000 menungan di kananda kananda kananda (manung-kapita)		رود و داره داره داره داره داره داره داره داره
Endorsoment l Becolved, Dat Action Recomm Estimated con	te londod		160	ture	distribution distr		

(SECRET When Filled In)

Apr	rove	d For Release 2001/07/12 : CIA-RDP78-06632A000300940008	PPEND	ех с	
pro	iect	No.		 	
				•	
Dat	9 OX	Survey:	• «		٠
Loc	atio.	12 °			
		y • most habitetijsterfundajik tereria inakolik zumiki. Zeminajiana mientikš zinka uganteskulpan-pulpiti episionatur	-		
		FIELD SURVEY (check list)			
l.	not: uti com	pare a site plan of the land intended for eing all obstructions, existing buildings, littles. The information shown shall be accepted showing details, sections and elevateesery.	trees, curate	and and	
	The	survey chall reflect the following:			•
	e. 1, g. h.	Established TBM, location and description Property lines Existing grades Existing vater lines, size and location Existing electric power, number of wires, poles, street lights power supply volts cycles, Phaso Existing storm drainage system, location of size, invert elevations, top elevation. Existing Sanitary System, location of M.H. pipe size, invert elevations, top elevation Existing fence, height, thickness, type. and spacing of posts and type. Soils classification to a depth of one met Civil classification of soils) Recommended bearing value of soils. Width of roads, surfacing, show section thuse center line of road for orientation.	locat	, p s an sect	ipe d ion td
2.	Quea	etions to be a swered: (circle answers)	•		
	a. b. c. d. o. f.	Is a fence required? Yes No What type is recommended? Barbed wire, Ma Masonry w/wire Perimeter lighting required? Yes No Is water available? Yes No Is water supply adequate? Yes No Is a well required? Yes No Recommended depth: motors Is a ground storage tank required? Yes I Recommended storage tank required? Yes I Recommended storage capacity: Is commercial electrical power available? Will it be adequate? Yes No	ło.		
		State power characteristics volts Cycles , Phase	i i de la composition della co		

Approved For Release 2001/07/12 : CIA-RDP78-06632A000300940008-1 U N C L A S S I F I E D

APPENDIX C - Page 2

1.	MILL	sidevalks	be	required?	Yes	No
----	------	-----------	----	-----------	-----	----

- j. Will it be necessary to provide flexible pavement from entrance to road? Yes No
- k. Will erosion control be required? Yes No Show sketch as recommended.
- l. Water table: Dry season elevation
 Wet season elevation
- 3. Storm drainage: Show sketch to indicate recommended location of head valls for storm drainage lines and indicate invert elevations.
- 4. Comments: (Please type)

5. Recommendations: (Please type)

UNCLASSIFIED

Approved For Release 2001/07/12 : CIA-RDP78-06632A000360940008-1

APPENDEX D

25X1A

25X1A

SAMPLE/FORMAT

TO		Portons	Coordinator
X O	•	1405 E. M. C. 1200 M.	COCA CAMER COR

FROM : Region

SUBJECT: Request for Approval and Obligation of Funds to

Construct (Office/Quarters, etc.,) at

in

(City, Town or Hamlet)

(Province)

- 1. This memorandum contains a recommendation for action,
- 2. This paragraph should be constructed by the ROIC to include:
 - a. Justification
 - b. Estimate of cost and from what source. (Money to be specified in VN\$ unless specifically to be paid in US\$.)

ROIC

Attachments:

- A, Province Officer's Construction Roquest
- B. Estimate of Costs and Comments by Area Engineer -
- C. Proposed Construction Layout/Plan
- D. Land Approval Documents.

(ALL ATTACHMENTS EXCEPT "A" ARE UNCLASSIVEED WHEN REMOVED FROM THIS MEMORANDUM.)

SECRET

Approved For Releas=2001/07/12 : CIA-RDP78-06632A000309940008-1

APPENDIX D - Page 2

I certify that funds in the			
are available and obligated for	the above	construction	1.
· ·	· .		
	Chi	of, Financo	-
Total US Dollars	Date:	eccocona romanidade producto procumento con ecconomica de constitución de cons	cistlod
Chief, Logistics (Over 1,000.00US\$ and under 5,000	 D.00US\$)	1	
OR CO:	errar		
Date:		e .	
CONTRACTOR DISC IN MARCH OF PROXICACIONALISE CONSIGNATING ASSOCIATION (INC.) INSPERIOR SECURITARION (INC.) INSPERIOR (INC.) I		· · · · · · · · · · · · · · · · · · ·	
hief, Support	-)00.00us\$)	· · · · · · · · · · · · · · · · · · ·	
Chief, Support Over 5,000.000S\$ and under 25,0	- 000.00US\$)	· · · · · · · · · · · · · · · · · · ·	*
hief, Support	-)00.00us\$) -	· · · · · · · · · · · · · · · · · · ·	*

SECRET

Date:

AFIENDIN E

LAND PARCEL SIZES

For standard construction plans the following parcels of land are reflected as minimum and desirable sizes.

25X1A	WINAMDW	DESTRABLE		
	45.00m X 49.00m	55,00m X 59,00m		
	39.00m X 39.00m	49.00m X 49.00m		
Office/Quarters	32.00m X 42.00m	42.00m X 52.00m		
PSB Building	20.00m X 30.00m	25.00m X 35.00m		
Quoaset Warehouse	40.00m X 30.00m	45.00m X 35.00m		
40° X 100° Warehouse	50,00m X 20,00m	55.00m X 25.00m		

SECRET